



सं / No.16(60)/2019-ई/ई

दिनांक / Dated:

10-08-2020

शुद्धिपत्र/CORRIGENDUM

विषय: Recruitment to the post of Scientist / Senior Scientist / Principal Scientist vide Advt.
/Sub: No.01/2019 – Short-listing of eligible candidates to be called for Interview-reg.

With reference to this Office Notification of even number, dated, 4th August, 2020 on the above subject in the Institute website, it is hereby informed that the following candidates are not meeting the shortlisting criteria adopted by the screening committee but their names have been inadvertently included in the list of shortlisted candidates:-

क्रम सं	आवेदन सं	पद कोड	पद	नाम	टिप्पणियों
SL NO	APPL. NO.	POST CODE	POST	NAME	Remarks
1	53	S02	Scientist	MR. KISHORE KUMAR BEHERA	<% at B.Tech
2	1254	S02	Scientist	MR. SATYABRATA NIGAMANANDA SAHOO	<% at B.Tech
3	1177	S06	Pr.Scientist	DR. TAPABRATA MAITY	<Experience

Accordingly, the above names are deleted from the list of shortlisted candidates.

In view of above, the last date inviting any query/communication from any candidate is hereby extended till **17-08-2020** after which no queries will be entertained. Other terms & condition of the said notification will remain unchanged.

It is further mentioned that the Screening Committee considered the applications, as per the data available in the applications/documents submitted. If at any stage, it is found that the information/documents furnished by the applicant is false or does not meet the screening criteria his/her candidature shall be cancelled.

उपर्युक्त पदों के लिए साक्षात्कार सूची अलग से सूचित किया जाएगा। The schedule of interview for the above position will be intimated separately.

(बी सी साहू / B C Sahoo)

प्रशासन नियंत्रक / Controller of Administration

प्रतिलिपि:

Copy to:-

1. सभी सूचना पट्ट -प्रदर्शनार्थ।
2. प्रधान- मीएनईएम - सीएसआइआर-आइएमएमटी वेबसाइट पर प्रदर्शित करने के लिए।
3. निदेशक के निजी मन्त्रि - सूचना के लिए।

- All Notice Boards -for display.
Head-CNeM - for display on CSIR-IMMT website.
PS to Director - for information.